

## References

---

- Adams, M. S., Titus, J., and McCracken, M. (1974). "Depth distribution of photosynthetic activity in a *Myriophyllum spicatum* community in Lake Wingra," *Limnol. Oceanogr.* 19, 912-13.
- Barko, J. W., Gunnison, D., and Carpenter, S. R. (1991). "Sediment interactions with submersed macrophyte growth and community dynamics," *Aquat. Bot.* 41, 41-65.
- Barko, J. W., Hardin, D. G., and Matthews, S. M. (1982). "Growth and morphology of submersed freshwater macrophytes in relation to light and temperature," *Can. J. Bot.* 60, 877-87.
- Barko, J. W., and Smart, R. M. (1981). "Comparative influences of light and temperature on the growth and metabolism of selected submersed freshwater macrophytes," *Ecol. Monogr.* 51, 219-35.
- Barko, J. W., Smart, R. M., McFarland, D. G., and Chen, R. L. (1988). "Interrelationships between the growth of *Hydrilla verticillata* (L.f.) Royle and sediment nutrient availability," *Aquat. Bot.* 32, 205-16.
- Bhomik, N. G., Demissie, M., and Guo, C. Y. (1982). "Waves generated by river traffic on the Illinois and Mississippi Rivers," Contract Report 293, Illinois State Water Survey, Champaign, IL.
- Bhomik, N. G., Demissie, M., and Osakada, S. (1981). "Waves and drawdown generated by river traffic on the Illinois and Mississippi Rivers," Contract Report 271, Illinois State Water Survey, Champaign, IL.

- Bhomik, N.G., and Mazumber, B. S. (1990). "Physical forces generated by barge-tow traffic within a navigable waterway." *Hydraulic engineering, Proceedings of the 1990 National Conference of the Hydraulic Division of the American Society of Civil Engineers*, San Diego, CA, 604-09.
- Bhomik, N. G., and Soong, T. W. (1992). "Waves generated by recreational traffic: Part I, Controlled movement," EMTC 92-S013, Environmental Management Technical Center, Onalaska, WI.
- Brewer, C. A., and Parker, M. (1990). "Adaptations of macrophytes to life in moving water: upslope limits and mechanical properties of stems," *Hydrobiologia* 194, 133-42.
- Carpenter, S. R., and Lodge, D. M. (1986). "Effects of submersed macrophytes on ecosystem processes," *Aquat. Bot.* 26, 341-70.
- Denny, M. W. (1988). *Biology and the mechanics of the wave-swept environment*. Princeton University Press, Princeton, NJ.
- Eggers, S. D., and Reed, D. M. (1987). *Wetland plants and plant communities of Minnesota and Wisconsin*. U.S. Army Corps of Engineers, St. Paul District, St. Paul, MN.
- Engel, S. (1985). "Aquatic community interactions of submerged macrophytes," Bulletin 156, Wisconsin Department of Natural Resources.
- Fassett, N. C. (1975). *A manual of aquatic plants*. University of Wisconsin Press, Madison, WI.
- Fremling, C. R., and Claflin, T. O. (1984). "Chapter 2. Ecological history of the Upper Mississippi River." *Contaminants in the Upper Mississippi River*. J.G. Wiener, R. V. Anderson, and D. R. McConville, eds., Butterworth Publishing, Boston, MA.
- French, J. R. P. (1988). "Effect of submersed aquatic macrophytes on resource partitioning in yearling rock bass (*Ambloplites rupestris*) and pumpkinseeds (*Lepomis gibbosus*) in Lake St. Clair," *J. Great Lakes Res.* 14(3), 291-300.
- Godfrey, R. K., and Wooten, J. W. (1979). *Aquatic and wetland plants of Southeastern United States*. University of Georgia Press, Athens, GA.
- Grace, J. B., and Wetzel, R. G. (1978). "The production biology of Eurasian watermilfoil (*Myriophyllum spicatum* L.): A review," *J. Aquat. Plant Management* 16, 1-11.

- Haller, W. T. (1974). "The photosynthetic characteristics of the submersed aquatic plants hydrilla, southern naiad, and vallisneria," Ph.D. diss., University of Florida, Tallahassee, FL.
- Haller, W. T., and Sutton, D. L. (1975). "Community structure and competition between *Hydrilla* and *Vallisneria*," *Hyacinth Contr. J.* 13, 48-50.
- Haslam, S. M. (1978). *River plants*. Cambridge University Press, London, England.
- Kaul, R. B. (1970). "Evolution and adaptation of inflorescences in the Hydrocharitaceae," *Am. J. Bot.* 57, 708-15.
- Keddy, P. A. (1982). "Quantifying within-lake gradients of wave energy: interrelationships of wave energy, substrate particle size and shoreline plants in Axe Lake, Ontario," *Aquat. Bot.* 14, 41-58.
- \_\_\_\_\_. (1985). "Water disturbance on lakeshores and the within-lake distribution of Ontario's Atlantic coastal plain flora," *Can. J. Bot.* 63, 656-60.
- Killgore, K. J., Morgan, R. P., and Rybicki, N. B. (1989). "Distribution and abundance of fishes associated with submersed aquatic plants in the Potomac River," *North American Journal of Fisheries Management*, 9, 101-11.
- Kimbel, J. C. (1982). "Factors influencing potential intralake colonization by *Myriophyllum spicatum* L.," *Aquat. Bot.* 14, 295-307.
- Kimber, A., and Barko, J. W. (1994). "A literature review of the effects of waves on aquatic plants," LTRMP 94-S002, National Biological Survey, Environmental Management Technical Center, Onalaska, WI.
- Kimber, A., Korschgen, C. E., and van der Valk, A. G. (1995). "The distribution of *Vallisneria americana* seeds and seedling light requirements in the Upper Mississippi River," *Can. J. Bot.* 73, 1966-73.
- Koehl, M. A. R., and Wainwright, S. A. (1977). "Mechanical adaptations of a giant kelp," *Limnol. Oceanog.* 22(6), 1067-71.
- Korschgen, C. E. (1990). "Feasibility study: Impacts of turbidity on growth and production of submersed plants," Technical Report 90-07. U.S. Fish and Wildlife Service, La Crosse, WI.

- Korschgen, C. E., George, L. S., and Green, W. L. (1988). "Feeding ecology of canvasbacks staging on Pool 7 of the Upper Mississippi River." In *Waterfowl in Winter*. M. W. Weller, ed. University of Minnesota Press, Minneapolis, St Paul, MN.
- Korschgen, C. E., and Green, W. L. (1988). "American wildcelery (*Vallisneria americana*): Ecological considerations for restoration," Technical Report 19, U.S. Fish and Wildlife Service, Washington, DC.
- Kufel, L., and Ozimek, T. (1994). "Can Chara control phosphorus cycling in Lake Luknojno (Poland)?" *Hydrobiologia*, 275/76, 277-83.
- List, R. J. (1951). *Smithsonian meteorological tables*. 6th ed., Smithsonian Institution, Washington, DC.
- Madsen, J. D., Eichler, L. W., and Boylen, C. W. (1988). "Vegetative spread of Eurasian watermilfoil in Lake George, New York," *J. Aquat. Plant Manage.* 26, 47-50.
- McFarland, D. G., and Barko, J. W. (1987). "Effects of temperature and sediment type on growth and morphology of monoecious and dioecious hydrilla," *J. Freshwat. Ecol.* 4, 245-52.
- Muencher, W. C. (1944). *Aquatic plants of the United States*. Cornell University Press, Ithaca, NY.
- Murphy, K. J., and Eaton, J. W. (1983). "Effects of pleasure-boat traffic on macrophyte growth in canals," *Journal of Applied Ecology*, 20, 713-29.
- National Biological Service. (1995). "Draft annual work plan, Fiscal Year 1996, for the Upper Mississippi River System Long Term Resource Monitoring Program," LTRMP 95-P007D, National Biological Service, Environmental Management Technical Center, Onalaska, WI.
- Peck, J. H., and Smart, R. M. (1986). "An assessment of the aquatic and wetland vegetation of the Upper Mississippi River," *Hydrobiologia* 136, 57-76.
- Poe, T. P., Hatcher, C. O., Brown, C. L., and Schloesser, D. W. (1986). "Comparison of species composition and richness of fish assemblages in altered and unaltered littoral habitats," *J. Freshwat. Ecol.* 3, 525-36.
- Rogers, S. J. (1994). "Preliminary evaluation of submersed macrophyte changes in the Upper Mississippi River," *Lake and Reserv. Manage.* 10(1), 35-8.
- SAS Institute, Inc. (1988). *SAS/STAT user's guide, Release 6.03 Edition*. Cary, NC.

- Schloesser, D. W., and Manny, B. A. (1982). "Distribution and relative abundance of submersed macrophytes in the St. Clair - Detroit Rivers ecosystems," Administration Report No. 82-7, U.S. Fish and Wildlife Service.
- \_\_\_\_\_. (1989). "Potential effects of shipping on submersed macrophytes in the St. Clair and Detroit Rivers of the Great Lakes," *Michigan Academician*, XXI, 101-08.
- Shannon, E. L. (1953). "The production of root hairs by aquatic plants," *Amer. Midland Nat.* 50, 474-79.
- Smart, R. M., and Barko, J. W. (1985). "Laboratory culture of submersed freshwater macrophytes on natural sediments," *Aquat. Bot.* 21, 251-63.
- Smart, R. M., Barko, J. W., and McFarland, D. G. (1994). "Competition between *Hydrilla verticillata* and *Vallisneria americana* under different environmental conditions," Technical Report A-94-1. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Smith, C. S., and Barko, J. W. (1990). "Ecology of Eurasian watermilfoil," *J. Aquat. Plant Manage.* 28, 55-64.
- Smith, C. S., Barko, J. W., and McFarland, D. G. (1991). "Ecological considerations in the management of Eurasian watermilfoil in Lake Minnetonka, Minnesota," Technical Report A-91-3. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Wilson, S. D., and Keddy, P. A. (1985). "Plant zonation on a shoreline gradient: physiological response curves of component species," *J. Ecol.* 73, 851-60.