

APPROVED JURISDICTIONAL DETERMINATION FORM

U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 2/25/2016

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: MVR; City of Grinnell, IEDA; 2015-1403

C. PROJECT LOCATION AND BACKGROUND INFORMATION:

State: Iowa County/parish/borough: Poweshiek City: Grinnell
Center coordinates of site (lat/long in degree decimal format): Lat. 41.6998° N, Long. -92.7291° W.
Universal Transverse Mercator:

Name of nearest water body: Unnamed Tributary to the North English River

Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Iowa River

Name of watershed or Hydrologic Unit Code (HUC): 07080209

- Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
 Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

- Office (Desk) Determination. Date: 2/29/2015
 Field Determination. Date(s):

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required]

- Waters subject to the ebb and flow of the tide.
 Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.
Explain: .

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]

1. Waters of the U.S.

a. Indicate presence of waters of U.S. in review area (check all that apply):¹

- TNWs, including territorial seas
 Wetlands adjacent to TNWs
 Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs
 Non-RPWs that flow directly or indirectly into TNWs
 Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
 Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
 Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
 Impoundments of jurisdictional waters
 Isolated (interstate or intrastate) waters, including isolated wetlands

b. Identify (estimate) size of waters of the U.S. in the review area:

Non-wetland waters: 0 Acres
Wetlands: 1.51 Acres

c. Limits (boundaries) of jurisdiction based on: **1987 Delineation Manual**

Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable):³

- Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.
Explain:

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW: .

Summarize rationale supporting determination: .

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is “adjacent”:

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are “relatively permanent waters” (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: 1,078,873 acres

Drainage area: 450 acres

Average annual rainfall: 36.53 inches

Average annual snowfall: 30 inches

(ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

Tributary flows through tributaries before entering TNW.

Project waters are 30 (or more) river miles from TNW.

Project waters are 1-2 river miles from RPW.

Project waters are 30 (or more) aerial (straight) miles from TNW.

Project waters are 1-2 aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain: .

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

Identify flow route to TNW⁵: Waters leave the project site traveling East via an unknown tributary to the North Fork English River, Intersect with the main fork of the North Fork English River, after 30+ miles the waterway becomes the English River, it terminates into the Iowa River which becomes a TNW near the mouth of the Mississippi River.
 Tributary stream order, if known: .

(b) General Tributary Characteristics (check all that apply):

Tributary is: Natural
 Artificial (man-made). Explain: .
 Manipulated (man-altered). Explain: has been significantly altered due to recent development: the channel has been straightened and the banks have been stabilized with rip-rap.

Tributary properties with respect to top of bank (estimate):

Average width: 10 feet
 Average depth: 1-2 feet
 Average side slopes: **Pick List.**

Primary tributary substrate composition (check all that apply):

Silts Sands Concrete
 Cobbles Gravel Muck
 Bedrock Vegetation. Type/% cover: .
 Other. Explain: .

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Most of the tributary has been stabilized with rip-rap.

Presence of run/riffle/pool complexes. Explain: .

Tributary geometry: **Relatively straight**

Tributary gradient (approximate average slope): %

(c) Flow:

Tributary provides for: **Seasonal flow**

Estimate average number of flow events in review area/year: **20 (or greater)**

Describe flow regime: Year round.

Other information on duration and volume: .

Surface flow is: **Discrete and confined.** Characteristics: channelized and visible.

Subsurface flow: **Unknown.** Explain findings: .

Dye (or other) test performed: .

Tributary has (check all that apply):

Bed and banks
 OHWM⁶ (check all indicators that apply):
 clear, natural line impressed on the bank the presence of litter and debris
 changes in the character of soil destruction of terrestrial vegetation
 shelving the presence of wrack line
 vegetation matted down, bent, or absent sediment sorting
 leaf litter disturbed or washed away scour
 sediment deposition multiple observed or predicted flow events
 water staining abrupt change in plant community
 other (list):
 Discontinuous OHWM.⁷ Explain: .

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

High Tide Line indicated by: Mean High Water Mark indicated by:
 oil or scum line along shore objects survey to available datum;
 fine shell or debris deposits (foreshore) physical markings;
 physical markings/characteristics vegetation lines/changes in vegetation types.
 tidal gauges
 other (list):

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

(iii) **Chemical Characteristics:**

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: Not identified in the delineation but the adjacent farmlands would lead us to expect somewhat clear yet silty water.

Identify specific pollutants, if known: farm field runoff, fertilizer/pesticides

(iv) **Biological Characteristics. Channel supports (check all that apply):**

Riparian corridor. Characteristics (type, average width):

Wetland fringe. Characteristics: Where it's not rip-rap the areas buffering the stream appear to exhibit wetland characteristics.

Habitat for:

Federally Listed species. Explain findings:

Fish/spawn areas. Explain findings:

Other environmentally-sensitive species. Explain findings:

Aquatic/wildlife diversity. Explain findings: Although void of trees, ED-1 does exhibit some herbaceous and limited shrub vegetation and is expected to provide marginal breeding and foraging habitat for amphibians and birds that also utilize navigable waters.

2. **Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW**

(i) **Physical Characteristics:**

(a) General Wetland Characteristics:

Properties:

Wetland size: 1.51 (cumulative) acres

Wetland type. Explain: Farmed Wetlands, Wet meadows and wetland ditches

Wetland quality. Explain: Poor, Wetlands are found mostly in fields that are annually disturbed due to farming practices.

Project wetlands cross or serve as state boundaries. Explain: N/A.

(b) General Flow Relationship with Non-TNW:

Flow is: **Ephemeral flow**. Explain: Only during extreme precipitation events.

Surface flow is: **Ephemeral**

Characteristics: Surface drainage features can be seen on Lidar and aerial photo's extending south from the wetland associated with GR-10 and flows along the fencerow until it begins to turn west and flows through the agricultural field towards Interstate 80. The drainage ditch becomes an unnamed tributary to Sugar Creek, which connects with the Skunk River and eventually terminates into the Mississippi River. The wetlands on the Eastern half of the property flow overland via ditches and grassed waterways into the intermittent stream that crosses the property. The intermittent stream is an unnamed tributary to the North Fork English River, This connects with the English River, until it terminates into the Iowa River which becomes a TNW near the mouth of the Mississippi River.

Subsurface flow: **Yes**. Explain findings: The intermittent stream identified crosses underneath highway 146 through a sub-surface corrugated metal pipe (~300 linear feet).

Dye (or other) test performed:

(c) Wetland Adjacency Determination with Non-TNW:

Directly abutting

Not directly abutting

Discrete wetland hydrologic connection.

Ecological connection. Explain:

Separated by berm/barrier/man-made structures. Explain

(d) Proximity (Relationship) to TNW

Project wetlands are **30 (or more)** river miles from TNW.

Project waters are **30 (or more)** aerial (straight) miles from TNW.

Flow is from: **Wetland to navigable waters**.

Estimate approximate location of wetland as within the **500-year or greater** floodplain.

(ii) **Chemical Characteristics:**

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: No standing water was seen in the wetlands however there were algal mats identified in the field wetlands.

Identify specific pollutants, if known:

(iii) **Biological Characteristics. Wetland supports (check all that apply):**

Riparian buffer. Characteristics (type, average width):

Vegetation type/percent cover. Explain: Nearly 100% cover by primarily FAC, FACW and Obligate vegetation.

- Habitat for:
 - Federally Listed species. Explain findings: None observed.
 - Fish/spawn areas. Explain findings: No standing water observed.
 - Other environmentally-sensitive species. Explain findings: No environmentally sensitive species observed.
 - Aquatic/wildlife diversity. Explain findings: Aquatic wildlife not observed.

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: Wetland A Farmed Wetlands (.83 acres), Wetland B Wet Meadow (.3 acres), Wetland C Farmed Wetlands (.08 acres), Wetland D Farmed Wetland (.04 acres), Wetland Ditches (.21 acres), Stormwater BMP's (.05 acres), Tributary (2,500 linear feet)

List and describe (Emergent, scrub/shrub, forested) the wetlands: Emergent.

Approximately (1.51) acres and 2,500 linear feet of intermittent stream in total are being considered in the cumulative analysis.

For each wetland, specify the following:

<u>Directly abuts? (Y/N)</u>	<u>Size (in acres)</u>	<u>Directly abuts? (Y/N)</u>	<u>Size (in acres)</u>
Wetland A N	.83 acres	Wetland B Y	.3 acres
Wetland C N	.08 acres	Wetland D N	.04 acres
Wetland Ditches Y	.21 acres	Stormwater BMP's Y	.05

Summarize overall biological, chemical and physical functions being performed: The wetlands provide some storm water detention, sediment detainment, and pollution control. If the wetland areas weren't suspect to annual farming practices, small invertebrates would be expected to prosper in such a wetland however none were specifically observed during the field visit. Sediment detainment is certainly occurring, due to the observed eroded soil material observed during the wetland delineation by Earthview Environmental along the tributary. The functions/benefits in regards to pollution are the filtration of local herbicides and pesticides that are generally spread onto the agricultural field they are a part of as well as the removal of any pollutants that might be attached to the silt particles coming from the neighboring highways in the upland areas of the project site.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:

2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
 - a. Earthview Environmental has identified an intermittent tributary that travels from the culvert under Stage Coach Road until it crosses under Highway 146 and eventually leaves the project site crossing under the railroad tracks bordering the eastern portion of the site. The tributary totals 2,500 linear feet and exhibits an OCHWM including shelving and the presence of litter and debris. The only portion of the tributary that did not exhibit these characteristics is identified as wetland B in the delineation. This stream exhibits a 1-2 foot deep channel with varying widths. After crossing under Highway 146 the stream becomes very confined and is bordered heavily with rip-rap. Once the stream leaves the property it directly connects with the North Fork of the English River, which eventually becomes the English River. This terminates into the Iowa River which becomes a TNW near the mouth of the Mississippi River. The wetlands identified as Wetland A, B, C, D and the stormwater control areas in the wetland delineation report provided by Earthview Environmental total 1.51 acres in area (Attachment #1). The wetlands identified as Wetland A have a different direct connection to the TNW than the other wetlands found within the project area/drainage area. They are connected to an unnamed tributary of Sugar Creek as soon as they reach the culvert crossing under Interstate 80. The wetlands identified as Wetlands B, C, D and the storm water control areas have been deemed to be connected to the intermittent stream that crosses the project site travelling west to east via ditches and overland gullies by the consultant and connectivity to the down-slope RPW (North Fork English River) approximately 1.6 miles to the east of the project site.
 - b. The relevant reach for this wetland complex extends from the wetlands through the non-navigable, non-permanent waterways identified as the Unnamed Tributary to the North Fork of the English River. This tributary empties into the North Fork of the English River. We have determined that this hinge point is the extent of our review area due to the guidance on page 40 of the USACE Jurisdictional Determination Form Instructional Guidebook as well as the figure shown on page 41 with very similar conditions. In researching historical aerial photography the Corps has found that the Unnamed tributary to the North Fork of the English River has had a connection with the North Fork of the English River for at least 50+ years on aerial photography, it has been extensively manipulated and moved due to recent development, and it is identified on the USGS topographic maps with a solid blue line identifying it as a relatively permanent waterway.
 - c. We have determined that the evaluated wetlands A, B, C, D and the storm water controls as identified by Earthview Environmental (and any other wetlands similarly situated in the watershed) possess limited flood storage capacity due to relatively small size and drainage area (approximately 1.51 acres cumulatively, ~150 acres drainage area). However, they do have a significant nexus due to the large amounts of agricultural activity in the watershed of the North Fork of the English River which has increased the frequency of flooding in the area due to a lack of riparian corridors in the watershed.
 - d. The physical hydrological connection between the wetlands and the downstream TNW are dependent on the amount of precipitation that accumulates on the intermittent tributaries drainage area. We (Corps) have calculated that the drainage area for the wetlands is about 150 acres using the USGS topographic map and would expect the stream to exhibit a moderate flow in connection with the non-perennial stream down slope due to the identification of a deeply entrenched channel, approximately 10 feet (section 3.1, bottom of the second paragraph of the Delineation Report). The overland hydrologic connection between the waterway and eventually the blue-line RPW identified as the North Fork of the English River is distinct. The wetlands are connected to the intermittent stream through overland flow such as drainage ditches and upland swales and would only exhibit a direct connection during high precipitation events.
 - e. Contaminants (silt, nitrogen, phosphorus) entering the evaluated wetlands due to the agricultural activities and the proximity of two major highways in the neighboring upland areas of the project site, and from overland flow in the basin are filtered out by the wetlands prior to reaching the intermittent stream in which it flows for approximately 1.6 miles before emptying into the North Fork of the English River that eventually disperses into the English River and then the Iowa River which becomes a TNW further down the watershed. A general function of any such wetland is the filtration of contaminants which are present due to the neighboring activities, it can be reasonably assumed that the contaminants attached to the sediment particles released by plowing and other soil moving activities are being filtered as well. Other materials that are being filtered out by these wetlands are the oils and heavy metals associated with the heavy traffic of semi's and passenger vehicles that travel on Interstate 80 and Highway 146. These wetlands provide a significant benefit to the filtration of nitrogen that is applied on any farming properties within its direct drainage area as fertilizer. This wetland complex provides a much needed filter to prevent contaminants and sediments from entering the watershed. The tributary exhibited flow even during a dry period while the consultants were on site and due to its proximity to the highway and agricultural activities it provides a direct pathway for pollutants such as herbicide and pesticide as well as oils and other chemicals from the highway to the downstream TNW.
 - f. In reference to the same reasons just cited, organic carbon derived from detritus decomposition, and nutrients within the evaluated wetlands are likely to reach the down slope RPW, and in turn the down slope TNW. These organic carbons are used by downstream organisms as a source of food which increases the overall food chain in the Iowa River. Due to the hydrologic connection, this provides a benefit to the biological food webs within the RPW and TNW. It has been identified by the FWS that the Iowa River and Mississippi River have a biological impairment with regards to endangered mussel habitat downstream of where the RPW discharges into the TNW. They are specifically vulnerable to

an increase of sediment in the water and the chemicals that they ingest while filtering the water they live in. The wetlands provide a biological significant nexus to the TNW by filtering out these contaminants that would otherwise enter the TNW and adversely affect the biological integrity of the Iowa River.

- g. Based on the above, we have determined that the wetlands identified as Wetlands A, B, C, D and the specifically identified stormwater treatment areas (totaling 1.51 acres) described in Earthview's wetland delineation report as well as the intermittent stream crossing the property (2,500 linear feet) possess more than a speculative capacity to provide a substantial or measurable effect on the biological, chemical and physical integrity of the proximate TNW (Iowa River).

3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:

- TNWs: linear feet width (ft), Or, acres.
 Wetlands adjacent to TNWs: acres.

2. **RPWs that flow directly or indirectly into TNWs.**

- Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial:
 Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:

Provide estimates for jurisdictional waters in the review area (check all that apply):

- linear feet Tributary waters: width (ft).
 Other non-wetland waters: acres.
Identify type(s) of waters: .

3. **Non-RPWs⁸ that flow directly or indirectly into TNWs.**

- Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):

- Tributary waters: 2,500 linear feet 10 width (ft).
 Other non-wetland waters: acres.
Identify type(s) of waters: .

4. **Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.**

- Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
 Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:.
 Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: .

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. **Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.**

- Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. **Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.**

⁸See Footnote # 3.

- Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: **(Wetlands A, B, C, D and the identified Stormwater treatment areas) 1.51 acres.**

7. Impoundments of jurisdictional waters.⁹

As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.

- Demonstrate that impoundment was created from “waters of the U.S.,” or
- Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
- Demonstrate that water is isolated with a nexus to commerce (see E below).

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):¹⁰

- which are or could be used by interstate or foreign travelers for recreational or other purposes.
- from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
- which are or could be used for industrial purposes by industries in interstate commerce.
- Interstate isolated waters. Explain: .
- Other factors. Explain: .

Identify water body and summarize rationale supporting determination:

Provide estimates for jurisdictional waters in the review area (check all that apply):

- Tributary waters: linear feet width (ft).
- Other non-wetland waters: acres.
Identify type(s) of waters: .
- Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

- If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
- Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
 - Prior to the Jan 2001 Supreme Court decision in “SWANCC,” the review area would have been regulated based solely on the “Migratory Bird Rule” (MBR).
- Waters do not meet the “Significant Nexus” standard, where such a finding is required for jurisdiction. Explain: See (3.) (C.) above. .
- Other: (explain, if not covered above): .

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):

- Non-wetland waters (i.e., rivers, streams):.
- Lakes/ponds: acres.
- Other non-wetland waters: acres. List type of aquatic resource: .
- Wetlands: .

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the “Significant Nexus” standard, where such a finding is required for jurisdiction (check all that apply):

- Non-wetland waters (i.e., rivers, streams):
- Lakes/ponds: acres.
- Other non-wetland waters: acres. List type of aquatic resource: .
- Wetlands:

SECTION IV: DATA SOURCES.

A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

- Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Materials submitted with application by Earthview Environmental in a wetland delineation report.
- Data sheets prepared/submitted by or on behalf of the applicant/consultant.
 - Office concurs with data sheets/delineation report.
 - Office does not concur with data sheets/delineation report.
- Data sheets prepared by the Corps: .
- Corps navigable waters' study: .
- U.S. Geological Survey Hydrologic Atlas: .
 - USGS NHD data.
 - USGS 8 and 12 digit HUC maps.
- U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000; Grinnell South, IA (Map A-1, delineation report).
- USDA Natural Resources Conservation Service Soil Survey. Citation: Grinnell, Iowa; (Map A-2, delineation report).
- National wetlands inventory map(s). Cite name: .
- State/Local wetland inventory map(s): .
- FEMA/FIRM maps: .
- 100-year Floodplain Elevation is: (National Geodetic Vertical Datum of 1929)
- Photographs: Aerial (Name & Date): 2002 CIR, 2010, 2013 and 2014.
or Other (Name & Date): .
- Previous determination(s). File no. and date of response letter: .
- Applicable/supporting case law: .
- Applicable/supporting scientific literature: .
- Other information (please specify): Attachment 1: Wetland Location Map, Attachment 2: Lidar of wetland drainage area(2A EASTERN, 2B WESTERN), Attachment 3: Aerial flow path from Wetlands to Non-RPW's (3A Entirety, 3B Western Portion)

B. ADDITIONAL COMMENTS TO SUPPORT JD: